

		1.00	2.00	3.00	
		Sum	Sum	Sum	
1985.00	under 65 deaths	.	1	.	-
	65-74 deaths	.	.	.	
	75 & over deaths	.	.	.	
1986.00	under 65 deaths	.	.	.	-
	65-74 deaths	.	.	.	
	75 & over deaths	.	.	.	
1987.00	under 65 deaths	2	3	10	1f
	65-74 deaths	1	7	6	
	75 & over deaths	10	28	28	
1988.00	under 65 deaths	2	3	7	8f
	65-74 deaths	3	5	9	
	75 & over deaths	13	18	25	
1989.00	under 65 deaths	2	3	3	5f 1m
	65-74 deaths	7	1	8	
	75 & over deaths	25	27	31	
1990.00	under 65 deaths	2	3	7	3f
	65-74 deaths	3	4	7	
	75 & over deaths	7	22	38	
1991.00	under 65 deaths	1	3	5	3f
	65-74 deaths	5	9	6	
	75 & over deaths	11	35	31	
1992.00	under 65 deaths	2	2	2	2f 1m
	65-74 deaths	6	3	6	
	75 & over deaths	4	19	32	
1993.00	under 65 deaths	1	1	4	1f
	65-74 deaths	3	4	6	
	75 & over deaths	5	22	19	
1994.00	under 65 deaths	.	1	2	2f
	65-74 deaths	4	5	2	
	75 & over deaths	9	11	19	
1995.00	under 65 deaths	.	2	4	1m
	65-74 deaths	2	3	8	
	75 & over deaths	7	21	25	
1996.00	under 65 deaths	.	4	1	2f
	65-74 deaths	.	4	5	
	75 & over deaths	12	21	12	
1997.00	under 65 deaths	1	1	4	2f
	65-74 deaths	2	3	5	
	75 & over deaths	13	13	19	
1998.00	under 65 deaths	.	1	4	1m
	65-74 deaths	2	4	2	
	75 & over deaths	.	22	27	
1999.00	under 65 deaths	2	4	2	2f
	65-74 deaths	4	5	1	
	75 & over deaths	10	13	19	
2000.00	under 65 deaths	1	2	5	0
	65-74 deaths	2	2	5	
	75 & over deaths	8	9	18	
2001.00	under 65 deaths	1	3	3	0
	65-74 deaths	1	.	2	
	75 & over deaths	6	25	14	
2002.00	under 65 deaths	3	2	2	0
	65-74 deaths	1	4	2	
	75 & over deaths	12	20	15	

## Case Summaries

	PRACTICE	YEAR	DOCTOR	under 65 deaths	65-74 deaths	75 & over deaths
1	1	1985	askew	.	.	.
2	1	1986	askew	.	.	.
3	1	1987	askew	1	.	2
4	1	1988	askew	.	2	2
5	1	1989	askew	1	3	4
6	1	1990	askew	.	.	1
7	1	1991	askew	.	1	6
8	1	1992	askew	1	.	1
9	1	1993	askew	.	.	.
10	1	1994	askew	.	.	.
11	1	1995	askew	.	.	.
12	1	1996	askew	.	.	.
13	1	1997	askew	.	.	.
14	1	1986	Bashford	.	.	.
15	1	1987	Bashford	1	.	1
16	1	1988	Bashford	.	.	.
17	1	1989	Bashford	.	.	.
18	1	1997	Bulein	.	.	.
19	1	1998	Bulein	.	.	.
20	1	1999	Bulein	1	1	4
21	1	2000	Bulein	1	1	2
22	1	2001	Bulein	1	1	2
23	1	2002	Bulein	2	1	5
24	1	1996	Cavanagh	.	.	.
25	1	1997	Cavanagh	.	.	.
26	1	1998	Cavanagh	.	.	.
27	1	1999	Cavanagh	.	.	.
28	1	2000	Cavanagh	.	.	.
29	1	2001	Cavanagh	.	.	.
30	1	2002	Cavanagh	.	.	.
31	1	1993	Evans	.	1	.
32	1	1994	Evans	.	3	1
33	1	1995	Evans	.	.	2
34	1	1996	Evans	.	.	5
35	1	1997	Evans	.	.	1
36	1	1998	Evans	.	1	.
37	1	1999	Evans	1	.	2
38	1	2000	Evans	.	1	4
39	1	2001	Evans	.	.	1
40	1	1987	McNutt	.	1	3
41	1	1988	McNutt	.	1	4
42	1	1989	McNutt	1	1	4
43	1	1990	McNutt	1	2	.
44	1	1991	McNutt	.	3	.
45	1	1992	McNutt	.	2	1
46	1	1993	McNutt	.	.	2
47	1	1994	McNutt	.	.	.
48	1	1995	McNutt	.	.	.
49	1	1996	McNutt	.	.	.
50	1	1997	McNutt	.	.	.
51	1	1998	McNutt	.	.	.
52	1	1999	McNutt	.	.	.
53	1	2000	McNutt	.	.	.
54	1	2001	McNutt	.	.	.
55	1	2002	McNutt	.	.	.
56	1	1985	Reid	.	.	.
57	1	1986	Reid	.	.	.

## Case Summaries

	PRACTICE	YEAR	DOCTOR	under 65 deaths	65-74 deaths	75 & over deaths
58	1	1987	Reid	.	.	4
59	1	1988	Reid	2	.	7
60	1	1989	Reid	.	3	17
61	1	1990	Reid	1	1	6
62	1	1991	Reid	1	1	5
63	1	1992	Reid	1	4	2
64	1	1993	Reid	1	2	3
65	1	1994	Reid	.	1	8
66	1	1995	Reid	.	2	5
67	1	1996	Reid	.	.	7
68	1	1997	Reid	1	2	12
69	1	1998	Reid	.	1	.
70	1	1999	Reid	.	.	.
71	1	2000	Reid	.	.	.
72	1	2001	Reid	.	.	1
73	1	2002	Reid	1	.	2
74	1	1985	Sharp	.	.	.
75	1	1986	Sharp	.	.	.
76	1	1987	Sharp	.	.	.
77	1	1988	Sharp	.	.	.
78	1	1989	Sharp	.	.	.
79	1	1990	Sharp	.	.	.
80	1	1991	Sharp	.	.	.
81	1	1992	Sharp	.	.	.
82	1	1993	Sharp	.	.	.
83	1	1994	Sharp	.	.	.
84	1	1995	Sharp	.	.	.
85	1	1996	Sharp	.	.	.
86	1	1997	Sharp	.	.	.
87	1	1998	Sharp	.	.	.
88	1	1999	Sharp	.	.	.
89	1	2000	Sharp	.	.	.
90	1	2001	Sharp	.	.	.
91	1	2002	Sharp	.	.	.
92	1	1998		9	.	.
93	1	1999		9	.	.
94	1	2000		9	.	.
95	1	2001		9	.	.
96	1	1998	Burgess	.	.	.
97	1	1999	Burgess	.	3	4
98	1	2000	Burgess	.	.	2
99	1	2001	Burgess	.	.	2
100	1	2002	Burgess	20	45	5
101	2	1985	coonan	.	.	.
102	2	1986	coonan	.	.	.
103	2	1987	coonan	.	2	2
104	2	1988	coonan	1	.	.
105	2	1989	coonan	1	.	2
106	2	1990	coonan	1	3	8
107	2	1991	coonan	.	3	12
108	2	1992	coonan	.	.	2
109	2	1993	coonan	.	1	4
110	2	1994	coonan	.	.	1
111	2	1995	coonan	.	1	3
112	2	1996	coonan	2	.	8
113	2	1997	coonan	1	1	3
114	2	1998	coonan	.	3	2

## Case Summaries

	PRACTICE	YEAR	DOCTOR	under 65 deaths	65-74 deaths	75 & over deaths
115	2	1999	coonan	1	2	3
116	2	2000	coonan	.	.	2
117	2	2001	coonan	.	.	6
118	2	2002	coonan	1	2	6
119	2	1990	Garratt	1	.	2
120	2	1991	Garratt	1	1	5
121	2	1992	Garratt	.	1	9
122	2	1993	Garratt	1	.	4
123	2	1994	Garratt	.	2	5
124	2	1995	Garratt	.	.	7
125	2	1996	Garratt	1	1	6
126	2	1997	Garratt	.	1	9
127	2	1998	Garratt	1	.	8
128	2	1999	Garratt	1	1	5
129	2	2000	Garratt	.	1	3
130	2	2001	Garratt	1	.	.
131	2	2002	Garratt	1	.	6
132	2	1985	Luffingha m	.	.	.
133	2	1986	Luffingha m	.	.	.
134	2	1985	Lynch	.	.	.
135	2	1986	Lynch	.	.	.
136	2	1987	Lynch	2	1	4
137	2	1988	Lynch	.	.	2
138	2	1989	Lynch	1	1	5
139	2	1990	Lynch	.	.	5
140	2	1991	Lynch	1	3	6
141	2	1992	Lynch	1	1	4
142	2	1993	Lynch	.	1	9
143	2	1994	Lynch	1	1	2
144	2	1995	Lynch	1	1	4
145	2	1996	Lynch	.	3	3
146	2	1997	Lynch	.	.	1
147	2	1998	Lynch	.	1	5
148	2	1999	Lynch	1	2	.
149	2	2000	Lynch	2	1	1
150	2	2001	Lynch	1	.	7
151	2	2002	Lynch	.	1	2
152	2	1990	Leigh	.	.	.
153	2	1985	North	.	.	.
154	2	1986	North	.	.	.
155	2	1987	North	1	2	10
156	2	1988	North	1	.	5
157	2	1989	North	.	.	7
158	2	1990	North	.	1	5
159	2	1991	North	1	2	12
160	2	1992	North	1	1	4
161	2	1993	North	.	2	5
162	2	1994	North	.	2	3
163	2	1995	North	1	1	7
164	2	1996	North	1	.	4
165	2	1997	North	.	1	.
166	2	1998	North	.	.	7
167	2	1999	North	1	.	5
168	2	2000	North	.	.	3
169	2	2001	North	1	.	12
170	2	2002	North	.	1	6

## Case Summaries

	PRACTICE	YEAR	DOCTOR	under 65 deaths	65-74 deaths	75 & over deaths
171	2	1985	O'Callaghan	1	.	.
172	2	1986	O'Callaghan	.	.	.
173	2	1987	O'Callaghan	.	1	9
174	2	1988	O'Callaghan	1	1	8
175	2	1989	O'Callaghan	1	.	8
176	2	1986	Old	.	.	.
177	2	1987	Old	.	1	3
178	2	1988	Old	.	4	2
179	2	1989	Old	.	.	3
180	2	1990	Old	1	.	2
181	2	1987	Sadler	.	.	.
182	2	1988	Sadler	.	.	1
183	2	1989	Sadler	.	.	2
184	2	1990	Sadler	.	.	.
185	3	1985	Brand	.	.	.
186	3	1986	Brand	.	.	.
187	3	1987	Brand	1	1	8
188	3	1988	Brand	.	1	2
189	3	1989	Brand	1	2	2
190	3	1990	Brand	2	3	2
191	3	1991	Brand	.	2	8
192	3	1992	Brand	1	1	4
193	3	1993	Brand	1	1	3
194	3	1994	Brand	.	1	4
195	3	1995	Brand	.	.	3
196	3	1985	Beasley	.	.	.
197	3	1986	Beasley	.	.	.
198	3	1987	Beasley	3	1	3
199	3	1988	Beasley	3	2	1
200	3	1989	Beasley	1	.	4
201	3	1990	Beasley	1	.	8
202	3	1991	Beasley	2	1	6
203	3	1992	Beasley	.	1	4
204	3	1993	Beasley	1	1	3
205	3	1994	Beasley	.	.	3
206	3	1995	Beasley	1	1	6
207	3	1996	Beasley	.	1	2
208	3	1997	Beasley	.	.	2
209	3	1998	Beasley	.	.	4
210	3	1999	Beasley	.	.	4
211	3	2000	Beasley	.	1	4
212	3	2001	Beasley	.	.	3
213	3	2002	Beasley	.	.	4
214	3	1985	Barton	.	.	.
215	3	1986	Barton	.	.	.
216	3	1987	Barton	1	.	1
217	3	1988	Barton	.	1	8
218	3	1989	Barton	.	3	6
219	3	1990	Barton	.	.	3
220	3	1991	Barton	.	2	3
221	3	1992	Barton	.	1	3
222	3	1993	Barton	2	.	1
223	3	1994	Barton	.	.	2

## Case Summaries

	PRACTICE	YEAR	DOCTOR	under 65 deaths	65-74 deaths	75 & over deaths
224	3	1995	Barton	.	.	1
225	3	1996	Barton	.	.	2
226	3	1997	Barton	1	3	2
227	3	1998	Barton	.	.	1
228	3	1999	Barton	.	.	2
229	3	2000	Barton	1	.	.
230	3	2001	Barton	1	2	.
231	3	2002	Barton	.	.	.
232	3	1993	Brigg	.	1	.
233	3	1994	Brigg	.	.	.
234	3	1995	Brigg	1	3	6
235	3	1996	Brigg	1	2	3
236	3	1997	Brigg	.	1	2
237	3	1998	Brigg	2	2	5
238	3	1999	Brigg	.	1	1
239	3	2000	Brigg	2	2	3
240	3	2001	Brigg	.	.	5
241	3	2002	Brigg	2	1	4
242	3	1995	Brook	.	1	1
243	3	1996	Brook	.	.	.
244	3	1997	Brook	.	1	1
245	3	1998	Brook	1	.	4
246	3	1999	Brook	.	.	3
247	3	2000	Brook	.	.	3
248	3	2001	Brook	.	.	1
249	3	2002	Brook	.	.	.
250	3	1987	Gray	1	2	6
251	3	1988	Gray	1	1	3
252	3	1989	Gray	.	1	5
253	3	1990	Gray	2	2	3
254	3	1991	Gray	2	.	3
255	3	1992	Gray	1	.	5
256	3	1993	Gray	.	.	.
257	3	1994	Gray	.	.	.
258	3	1985	Knapman	.	.	.
259	3	1986	Knapman	.	.	.
260	3	1987	Knapman	1	1	4
261	3	1988	Knapman	3	2	5
262	3	1989	Knapman	1	1	4
263	3	1990	Knapman	1	2	12
264	3	1991	Knapman	.	1	3
265	3	1992	Knapman	.	2	6
266	3	1993	Knapman	.	3	4
267	3	1994	Knapman	1	.	2
268	3	1995	Knapman	1	3	2
269	3	1996	Knapman	.	1	2
270	3	1997	Knapman	1	.	8
271	3	1998	Knapman	1	.	7
272	3	1999	Knapman	1	.	4
273	3	2000	Knapman	1	2	2
274	3	2001	Knapman	1	.	1
275	3	2002	Knapman	.	1	3
276	3	1985	Peters	.	.	.
277	3	1986	Peters	.	.	.
278	3	1987	Peters	3	1	6
279	3	1988	Peters	.	2	6
280	3	1989	Peters	.	1	10

## Case Summaries

	PRACTICE	YEAR	DOCTOR	under 65 deaths	65-74 deaths	75 & over deaths
281	3	1990	Peters	1	.	10
282	3	1991	Peters	1	.	8
283	3	1992	Peters	.	1	10
284	3	1993	Peters	.	.	8
285	3	1994	Peters	1	1	8
286	3	1995	Peters	1	.	6
287	3	1996	Peters	.	1	3
288	3	1997	Peters	2	.	4
289	3	1998	Peters	.	.	6
290	3	1999	Peters	1	.	5
291	3	2000	Peters	1	.	6
292	3	2001	Peters	1	.	4
293	3	2002	Peters	.	.	4
Total	N 293	293	293	102	121	196

## 75 &amp; over deaths \* PRACTICE \* YEAR Crosstabulation

Count

YEAR			PRACTICE			Total
			1	2	3	
1987	75 & over deaths	1	1		1	2
		2	1	1		2
		3	1	1	1	3
		4	1	1		3
		6			2	2
		8			1	1
		9		1		1
		10		1		1
		Total	4	5	6	15
	1988	75 & over deaths	1		1	1
2			1	2	1	4
3					1	1
4			1			1
5				1	1	2
6					1	1
7			1			1
8			1	1	2	
Total	3	5	6	14		
1989	75 & over deaths	2		2	1	3
		3		1		1
		4	2		2	4
		5		1	1	2
		6			1	1
		7		1		1
		8		1		1
		10			1	1
	17	1			1	
Total	3	6	6	15		
1990	75 & over deaths	1	1			1
		2		2	1	3
		3			2	2
		5		2		2
		6	1			1
		8		1	1	2
		10			1	1
	12			1	1	
Total	2	5	6	13		
1991	75 & over deaths	3			3	3
		5	1	1		2
		6	1	1	1	3
		8			2	2
	12		2		2	
Total	2	4	6	12		
1992	75 & over deaths	1	2			2
		2	1	1		2
		3			1	1
		4		2	2	4
		5			1	1
		6			1	1
	9		1		1	
10			1	1		
Total	3	4	6	13		



## 75 &amp; over deaths \* PRACTICE \* YEAR Crosstabulation

Count

YEAR			PRACTICE			Total
			1	2	3	
1993	75 & over deaths	1			1	1
		2	1			1
		3	1		2	3
		4		2	1	3
		5		1		1
		8			1	1
	9		1		1	
	Total	2	4	5	11	
1994	75 & over deaths	1	1		2	
		2		1	3	
		3		1	2	
		4			1	
		5		1	1	
	8	1		1	2	
	Total	2	4	5	11	
1995	75 & over deaths	1		2	2	
		2	1	1	2	
		3		1	2	
		4		1	1	
		5	1		1	
		6			3	3
	7		2		2	
	Total	2	4	7	13	
1996	75 & over deaths	2		3	3	
		3		2	3	
		4		1	1	
		5	1		1	
		6		1	1	
		7	1		1	
		8		1	1	
		Total	2	4	5	11
1997	75 & over deaths	1	1	1	3	
		2		3	3	
		3		1	1	
		4			1	
		8			1	
		9		1	1	
	12	1		1		
	Total	2	3	6	11	
1998	75 & over deaths	1		1	1	
		2		1	1	
		4			2	
		5		1	2	
		6			1	
		7		1	2	
		8		1	1	
		Total		4	6	10
1999	75 & over deaths	1		1	1	
		2	1		2	
		3		1	2	
		4	2		4	
	5		2	1	3	
	Total	3	3	6	12	

## 75 &amp; over deaths \* PRACTICE \* YEAR Crosstabulation

Count

YEAR			PRACTICE			Total
			1	2	3	
2000	75 & over deaths	1		1		1
		2	2	1	1	4
		3		2	2	4
		4	1		1	2
		6			1	1
	Total		3	4	5	12
2001	75 & over deaths	1	2		2	4
		2	2			2
		3			1	1
		4			1	1
		5			1	1
		6		1		1
		7		1		1
	12		1		1	
Total		4	3	5	12	
2002	75 & over deaths	2	1	1		2
		3			1	1
		4			3	3
		5	2			2
	6		3		3	
Total		3	4	4	11	

## 65-74 deaths \* PRACTICE \* YEAR Crosstabulation

Count

YEAR			PRACTICE			Total
			1	2	3	
1987	65-74	1	1	3	4	8
	deaths	2		2	1	3
	Total		1	5	5	11
1988	65-74	1	1	1	3	5
	deaths	2	1		3	4
		4		1		1
Total		2	2	6	10	
1989	65-74	1	1	1	3	5
	deaths	2			1	1
		3	2		1	3
Total		3	1	5	9	
1990	65-74	1	1	1		2
	deaths	2	1		2	3
		3		1	1	2
Total		2	2	3	7	
1991	65-74	1	2	1	2	5
	deaths	2		1	2	3
		3	1	2		3
Total		3	4	4	11	
1992	65-74	1		3	4	7
	deaths	2	1		1	2
		4	1			1
Total		2	3	5	10	
1993	65-74	1	1	2	3	6
	deaths	2	1	1		2
		3			1	1
Total		2	3	4	9	
1994	65-74	1	1	1	2	4
	deaths	2		2		2
		3	1			1
Total		2	3	2	7	
1995	65-74	1		3	2	5
	deaths	2	1			1
		3			2	2
Total		1	3	4	8	
1996	65-74	1		1	3	4
	deaths	2			1	1
		3		1		1
Total			2	4	6	
1997	65-74	1		3	2	5
	deaths	2	1			1
		3			1	1
Total		1	3	3	7	
1998	65-74	1	2	1		3
	deaths	2			1	1
		3		1		1
Total		2	2	1	5	
1999	65-74	1	1	1	1	3
	deaths	2		2		2
		3	1			1
Total		2	3	1	6	
2000	65-74	1	2	2	1	5
	deaths	2			2	2
	Total		2	2	3	7
2001	65-74	1	1			1
	deaths	2			1	1

if

2m if

2f

if

3m

2f

## 65-74 deaths \* PRACTICE \* YEAR Crosstabulation

Count

YEAR			PRACTICE			Total
			1	2	3	
2001	Total		1		1	2
2002	65-74	1	1	2	2	5
	deaths	2		1		1
	Total		1	3	2	6

## under 65 deaths \* PRACTICE \* YEAR Crosstabulation

Count

YEAR			PRACTICE			Total
			1	2	3	
1985	under 65	1		1		1
	deaths					
	Total			1		1
1987	under 65	1	2	1	4	7
	deaths	2		1		1
		3			2	2
	Total		2	2	6	10
1988	under 65	1		3	1	4
	deaths	2	1			1
		3			2	2
	Total		1	3	3	7
1989	under 65	1	2	3	3	8
	deaths					
	Total		2	3	3	8
1990	under 65	1	2	3	3	8
	deaths	2			2	2
	Total		2	3	5	10
1991	under 65	1	1	3	1	5
	deaths	2			2	2
	Total		1	3	3	7
1992	under 65	1	2	2	2	6
	deaths					
	Total		2	2	2	6
1993	under 65	1	1	1	2	4
	deaths	2			1	1
	Total		1	1	3	5
1994	under 65	1		1	2	3
	deaths					
	Total			1	2	3
1995	under 65	1		2	4	6
	deaths					
	Total			2	4	6
1996	under 65	1		2	1	3
	deaths	2		1		1
	Total			3	1	4
1997	under 65	1	1	1	2	4
	deaths	2			1	1
	Total		1	1	3	5
1998	under 65	1		1	2	3
	deaths	2			1	1
	Total			1	3	4
1999	under 65	1	2	4	2	8
	deaths					
	Total		2	4	2	8
2000	under 65	1	1		3	4
	deaths	2		1	1	2
	Total		1	1	4	6
2001	under 65	1	1	3	3	7
	deaths					
	Total		1	3	3	7
2002	under 65	1	1	2		3
	deaths	2	1		1	2
	Total		2	2	1	5

o.r.B

1

2

im.

if

im

## Crosstabs

## Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
PRACTICE * under 65 deaths * YEAR	102	34.8%	191	65.2%	293	100.0%

## PRACTICE \* under 65 deaths \* YEAR Crosstabulation

Count

YEAR			under 65 deaths			Total
			1	2	3	
1985	PRACTICE	2	1			1
	Total		1			1
1987	PRACTICE	1	2			2
		2	1	1		2
	Total	3	4		2	6
	Total		7	1	2	10
1988	PRACTICE	1		1		1
		2	3			3
	Total	3	1		2	3
	Total		4	1	2	7
1989	PRACTICE	1	2			2
		2	3			3
	Total	3	3			3
	Total		8			8
1990	PRACTICE	1	2			2
		2	3			3
	Total	3	3	2		5
	Total		8	2		10
1991	PRACTICE	1	1			1
		2	3			3
	Total	3	1	2		3
	Total		5	2		7
1992	PRACTICE	1	2			2
		2	2			2
	Total	3	2			2
	Total		6			6
1993	PRACTICE	1	1			1
		2	1			1
	Total	3	2	1		3
	Total		4	1		5
1994	PRACTICE	2	1			1
		3	2			2
	Total		3			3
1995	PRACTICE	2	2			2
		3	4			4
	Total		6			6
1996	PRACTICE	2	2	1		3
		3	1			1
	Total		3	1		4
1997	PRACTICE	1	1			1
		2	1			1
	Total	3	2	1		3
	Total		4	1		5
1998	PRACTICE	2	1			1
		3	2	1		3

**Crosstabs****Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
under 65 deaths * PRACTICE * YEAR	102	34.8%	191	65.2%	293	100.0%